

QUESTIONS & ANSWERS

Kill your exam at first Attempt



1Z0-510 Dumps
1Z0-510 Braindumps
1Z0-510 Real Questions
1Z0-510 Practice Test
1Z0-510 dumps free



Oracle

1Z0-510

Oracle ATG Web Commerce 10 Implementation Developer Essentials



<http://killexams.com/pass4sure/exam-detail/1Z0-510>

- A. LiveHelp
- B. Abandoned Cart
- C. Recovery Purchasing Workflow Management such as support for Purchase Orders and Approvals
- D. Pricing and Order engines
- E. Scheduled Orders

Answer: A, C, D

Explanation:

Note B2C: Business-To-Consumer. A transaction that occurs between a company and a consumer, as opposed to a transaction between companies (called B2B). The term may also describe a company that provides goods or services for consumers.

QUESTION: 79

What must be configured to share all gift lists across all sites?

- A. set `/atg/commerce/gifts/GiftlistManager.siteScope=all`
- B. Make GiftlistManager extend `atg.multisite.ShareableSiteGroup`.
- C. Register GiftListManager with the ATG's SiteManager as Sharable using BCC.
- D. Gift lists cannot be shared and are specific to a given site.

Answer: A

Explanation:

The `/atg/commerce/gifts/GiftlistManager` component has a `siteScope` property that controls how gift lists are shared between sites.

Reference:

ATG Multisite Administration Guide, Gift Lists

QUESTION: 80

To encrypt `userID` cookie, what must you do?

- A. Edit `propertycookieHashKey` of `/atg/userprofiling/CookieManager`.
- B. Add `encryptionKey` on `/atg/userprofiling/ProfileTools`.
- C. Ensure `property securityStatus` of `user` is `SECURE-SIGNin`.
- D. Set `property secured = true` of component `CookiePipelineServlet`.

Answer: A

Explanation:

To change the secret key that the Personalization module uses to hash the user ID cookie, edit the following property of/atg/userprofiling/CookieManager:

Note: cookieHashKeySets the hash key to use for hashing user ID cookies. If this property is set, its value is used for the hash key rather than a value generated by the HashInitializer component. Sets a secret key that the Personalization module uses to hash the user ID cookie. This behavior makes user cookies more secure and prevents users from using another user's profile by changing their cookie. Invalid profile cookies are ignored. You may want to change this from the default value, so that your site's cookies will be hashed with a different key from that used by other sites that run ATG products.

Reference:

ATG Personalization Programming Guide, Profile Cookie Configuration

QUESTION: 81

Which three query types are NOT supported by the SQL repository?

- A. includesAll
- B. elementAt
- C. indexOf
- D. starts with
- E. ignorecase

Answer: A, B, C

Explanation:

The SQL repository does not support queries of the following types:
includesAll
elementAt
indexOf

Reference:

ATG Web commerce, Repository Guide, Unsupported Queries in the SQL Repository

QUESTION: 82

Consider the following code snippet:

```
<dsp: param name = "first" value = "joe"/>  
<dsp:droplet name "printName">  
<dsp:param name = "last" value = "Bruin"/>  
</dsp:droplet>
```

To get an output of "Joe Bruin", which two methods should the droplet use in the code?

- A. getLocalParameter("first") and getLocalParameter("last")
- B. getParameter("first") and getLocalParameter("last")
- C. getLocalParameter("first") and getParameter("last")
- D. getPageParameter("first") and getParameter("last")

Answer: D

Explanation:

first is a page parameter. We use getPageParameter to access it. last is a bean parameter. We use getParameter to access it.

Note: dsp:param

Identifies a servlet bean input parameter; or defines a page parameter.

```
<dsp:param name="sbparam
```

```
-
```

```
name" sb param-value />
```

```
<dsp:param name="pgparam- name" pgparam-value />
```

attributes

name (servlet bean)

Identifies an input parameter that is defined for the current servlet bean. For information on input parameters for specific servlet beans, see Appendix B, ATG Servlet Beans.

name (page parameter)

Defines a page parameter that is accessible to the current JSP and embedded child pages.

Reference:

ATG Page Developer's Guide, dsp:param

QUESTION: 83

What must you configure for ATG to charge the payment on the first shipment?

- A. Configure settlementStepinPaymentManager.
- B. This is handled OOTB. ATG always settles on last shipment in accordance with PCI compliance.
- C. Configure SettleOnFirstShipment on OrderFulfiller.
- D. Nothing, ATG assumes settlement was done when order was placed.
- E. Write custom code in HardgoodFulfiller.

Answer: C

Explanation:

The order is settled (paid for) according to the value of the settleOnFirstShipment

property. If this property is true, the order is settled after the first shipping group in the order ships. If this property is false, the order is settled after the last shipping group in the order ships.

Note: The OrderFulfiller class handles the start of the fulfillment process and is responsible for the routing of various requests made to the fulfillment subsystem. In a sense, the OrderFulfiller is the hub of communication relating to fulfillment. The order to be fulfilled is received through a SubmitOrder message and is handled by the handleSubmitOrder method . The OrderFulfiller is responsible for farming out FulfillOrderFragment messages to the various fulfillers interested in pieces of the order.

Different fulfillers such as HardgoodFulfiller receive the FulfillOrderFragment message and begin processing of the shipping groups specified within.

Reference:

atg.commerce.fulfillment, Class OrderFulfiller

QUESTION: 84

What must you configure for ATG to charge the payment on the first shipment?

- A. Configure settlementStepinPaymentManager.
- B. This is handled OOTB. ATG always settles on last shipment in accordance with PCI compliance
- C. Configure SettleOnFirstShipment on OrderFulfiller.
- D. Nothing. ATG assumes settlement was done when order was placed.
- E. Write custom code in HardgoodFulfiller

Answer: C

Explanation:

The order is settled (paid for) according to the value of the settleOnFirstShipment property. If this property is true, the order is settled after the first shipping group in the order ships. If this property is false, the order is settled after the last shipping group in the order ships.

Note: The OrderFulfiller class handles the start of the fulfillment process and is responsible for the routing of various requests made to the fulfillment subsystem. In a sense, the OrderFulfiller is the hub of communication relating to fulfillment. The order to be fulfilled is received through a SubmitOrder message and is handled by the handleSubmitOrder method . The OrderFulfiller is responsible for farming out FulfillOrderFragment messages to the various fulfillers interested in pieces of the order.

Different fulfillers such as HardgoodFulfiller receive the FulfillOrderFragment message and begin processing of the shipping groups specified within.

Reference:

atg.commerce.fulfillment, Class OrderFulfiller

QUESTION: 85

What is the state of a newly created order?

- A. CREATED
- B. INCOMPLETE
- C. PROCESSING
- D. NO_PENDING_ACTION

Answer: B

Explanation:

ATG Commerce provides the following configured instances of the state classes, which are located in Nucleus at /atg/commerce/states/:

OrderStates: indicates the states of an Order. For the display names of states:
ORDER.INCOMPLETE=INCOMPLETE ORDER.SUBMITTED=SUBMITTED

For the descriptions of states:

ORDERDESC.INCOMPLETE=The order is incomplete

ORDERDESC.SUBMITTED=The order has been submitted to Fulfillment

QUESTION: 86

The default Task for a merchandiser in ATG workflow after production deployment is complete is_____.

- A. Verify Production Deployment
- B. Approve Production Deployment
- C. Close Project
- D. RevertDeployment
- E. Commit updates

Answer: B

Explanation:

The default Manage Commerce Assets workflow includes the following tasks:

Author

Content Review

Approve for Production Deployment

Wait for Production Deployment Completion

Verify Production Deployment

Reference:



For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!