

QUESTIONS & ANSWERS

Kill your exam at first Attempt



ST0-099 Dumps
ST0-099 Braindumps
ST0-099 Real Questions
ST0-099 Practice Test
ST0-099 dumps free



Symantec

ST0-099

Symantec Enterprise Vault 9.0 (STS)



<http://killexams.com/pass4sure/exam-detail/ST0-099>

restarts the Journal Task but the items still remain in the journal mailbox. What should the administrator do?

- A. purge the MSMQ journal queues and restart the task
- B. wait for the Journal Task to fully scan the mailbox, it may take some time to start processing
- C. create a new journal mailbox and move items from the backlogged mailbox in chunks
- D. save the contents of the journal mailbox to a PST and use the Import PST Wizard

Answer: B

QUESTION: 91

An organization has deployed Virtual Vault to allow end users to access their archive from Outlook without using shortcuts. After items are archived, one user reports that recently archived items are missing from Virtual Vault. What is a likely cause of this issue?

- A. The cache location on the Enterprise Vault server is full.
- B. The user has disabled Exchange cached mode in Outlook.
- C. Content Cache synchronization needs to complete.
- D. Metadata Cache synchronization needs to complete.

Answer: D

QUESTION: 92

Users are unable to access archived email. After checking the Symantec Enterprise Vault 9 for Exchange (EV 9) server, the administrator notices that all EV 9 services are stopped. Which two can cause the EV 9 services to stop? (Select two.)

- A. The license has expired.
- B. Too many errors are encountered in a short period of time.
- C. There is insufficient free space on the system disk.
- D. The Enterprise Vault log is full.
- E. An incompatible version of Outlook is installed.

Answer: B, C

QUESTION: 93

- B. decentralized
- C. federated
- D. hybrid

Answer: D

QUESTION: 95

According to Symantec best practices, what is the first step the administrator should take when attempting to fix a failed or offline index volume?

- A. Update an Index
- B. Repair an Index
- C. Rebuild Index
- D. Reconcile Index

Answer: A

QUESTION: 96

According to Enterprise Vault indexing best practices, one of two configuration steps should be performed when index volumes are stored on a Network Attached Storage (NAS) device or on a remote windows share. What are the two configuration steps? (Select two.)

- A. disable Opportunistic locks from being granted through the remote server's registry or on the NAS device
- B. disable Opportunistic locks from being requested through the vault server's registry
- C. disable Opportunistic locks on the vault server through adsiedit.exe
- D. enable Opportunistic locks to be requested through the remote server's registry
- E. enable Opportunistic locks to be granted through the vault server's registry


Answer: A, B

QUESTION: 97

An organization requires that Exchange email be archived. They need to provide users with the ability to search archived mail content and attachments while using the least amount of space. How is this accomplished?

- A. Indexing level must be set to Medium.
- B. A Vault Store must be configured with Medium indexing.
- C. A Vault Store must be configured with Full indexing.
- D. Indexing level must be set to Brief.

Answer: A



KILLEXAMS.COM

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!